



**CITY OF NOVI CITY COUNCIL**  
**APRIL 17, 2023**

**SUBJECT:** Approval to award a sixty-three-month lease for multi-function copy equipment to Canon Solutions America through the OMNIA Partners National IPA cooperative purchasing agreement for \$17,410.92 annually. Subject to final review and approval of the contract form by the City Manager's Office and City Attorney.

**SUBMITTING DEPARTMENT:** Integrated Solutions – Technology Division

<b>EXPENDITURE REQUIRED</b>	<b>\$17,410.92</b>
<b>AMOUNT BUDGETED</b>	<b>\$20,000.00</b>
<b>APPROPRIATION REQUIRED</b>	<b>\$0</b>
<b>LINE ITEM NUMBER</b>	<b>101-228.00-942.200</b>

**BACKGROUND INFORMATION:** The City of Novi's current multi-function copy equipment was originally leased (five-year agreement) in 2016. We took ownership of the devices at the end of the lease and used the equipment for an additional two years. While we have been pleased with the Canon devices, we are starting to see a significant increase in calls for service. As a result, the Integrated Solutions Technology team met with a representative from multiple departments to review their needs and solicit feedback on the brand's performance. Overall, the feedback on the Canon brand was positive. Using this information, the team worked with our current Canon vendor and Canon Solutions America (CSA) to provide pricing on replacement devices using a competitively bid contract. Upon review of the solutions provided by both vendors, the team's evaluation was that CSA is the best overall solution for the City of Novi. CSA had a lower lease interest rate than their competitor, and their service technicians are located in the City of Novi.

**RECOMMENDED ACTION:** Approval to award a sixty-three-month lease for multi-function copy equipment to Canon Solutions America through the OMNIA Partners National IPA cooperative purchasing agreement for \$17,410.92 annually. Subject to final review and approval of the contract form by the City Manager's Office and City Attorney.



Canon Solutions America, Inc. ("CSA")  
 One Canon Park, Melville, NY 11747  
 (800)-613-2228

**Lease Schedule ("Schedule") - Itemized (SER-700)**

**Customer:** NOVI CITY OF (INC)  
**Agreement #:** MA36530

**CFS App #:** 1929962  
**Transaction #:** S1362817

**Salesperson:** Jack D Chesser  
**Order Date:** 03/27/23

Billing Information		Payment Information			Equipment Maintenance Information			
Customer Account:		Listed Items Lease Term	# of Lease Payments		Maintenance included for all Equipment			
<b>Company:</b> NOVI CITY OF (INC) <b>DBA:</b> <b>Address:</b> 45175 W 10 MILE RD <b>Address 2:</b> <b>City:</b> NOVI <b>County:</b> OAKLAND <b>State:</b> MI <b>Zip:</b> 48375-3024 <b>Phone #:</b> 248.347.0527 <b>Contact:</b> MICHELLE POLLOCK <b>Fax #:</b> <b>Email:</b> mpollock@cityofnovi.org		63 Months	63		Maint Base charge invoiced Monthly by CFS Excess Per Image Charge invoiced Monthly by CFS			
		Payment Summary* (*Plus Applicable Taxes)			New Fleet Plan Fixed Price Plan			
		Lease Payment \$1,450.91 Invoiced by CFS			<b>Other Transaction Details</b> Lease Payment shall be invoiced Monthly Purchase Option: Fair Market Value			
		Total Maintenance Base Charge \$0.00 Invoiced by CFS						
		Due at Signing						
		# of Payments in Advance 0		Total Due at Signing \$0.00				
Rider A applies (Office Equip/Cut Sheet Production)		Maint Base Charge Section A-1	Covered Images Included in Maint Base Charge		Excess Per Image Charge(s)			
		\$0.00	B&W: 0 Color: 0		B&W: \$0.006300 Color: \$0.041400			
Item Code	Listed Items Description	Qty	Unit Pmt	Total	Ship To & Maintenance Billing Information			
4914C002	IRADVXC3826I	1	Included	Included	<b>Shipping:</b> 45175 W 10 MILE RD <b>Delivery Date:</b> 03/31/23 <b>Address 2:</b> HR DEPT <b>City:</b> NOVI <b>County:</b> OAKLAND <b>State:</b> MI <b>Zip:</b> 48375-3024 <b>Primary Customer Contact:</b> MICHELLE POLLOCK <b>Phone #:</b> 248.347.0527 <b>Email:</b> mpollock@cityofnovi.org <b>Meter Contact:</b> <b>Phone #:</b> <b>Email:</b> <b>IT Contact:</b> MICHELLE POLLOCK <b>Phone #:</b> 248.347.0527 <b>Email:</b> mpollock@cityofnovi.org <b>Billing:</b> <b>Address 2:</b> <b>City:</b> <b>County:</b> <b>State:</b> <b>Zip:</b> <b>Billing Contact:</b> <b>Phone #:</b> <b>Email:</b>			
4917C002	CASSETTE FEEDING UNIT-AW1	1	Included	Included	<b>Elevator:</b> No <b>Loading Dock:</b> No <b># of Steps:</b> 0 <b>Hrs of Operation:</b> 9-5 Consumables: Toner Only Meter Method: Remote Reporting Agent Corporate Advantage <b>For CSA USE ONLY:</b> Config: A - 1   73211742			
4000C002	INNER FINISHER-L1	1	Included	Included				
4919C001	SUPER G3 FAX BOARD-BH1	1	Included	Included				
2368V119	LOW VOLUME CONNECTIVITY UP TO 30PPM	1	Included	Included				
1972V064	ESP NEXT GEN PCS POWER FILTER 120VOLTS 15 AMP XG-PCS-15D	1	Included	Included				
3754V837	IR ADV DX C3730/3725/3835/3830/3826 INSTALL PAK	1	Included	Included				
IntSupplies	Pre-Installed Supplies Installed in Machine	1	Included	Included				
<b>Additional Requirements:</b>								
OC: COUNTY OF DUPAGE CONTRACT FI-R-0251-18								
THIS SCHEDULE IS ENTERED INTO PURSUANT TO, AND INCORPORATES THE TERMS OF, THE MASTER SALES AND SERVICES AGREEMENT REFERENCED AS THE AGREEMENT # ABOVE ("AGREEMENT"), INCLUDING THE MASTER LEASE TERMS SET FORTH AS RIDER G THERETO WHICH SHALL CONTROL (THE "LEASE TERMS"). TO THE EXTENT THE TERMS OF AN EXISTING CFS MASTER AGREEMENT ARE REFERENCED ON THIS SCHEDULE (THE "EXISTING MASTER CFS LEASE") AND ARE APPLICABLE TO THIS SCHEDULE, THEY SHALL CONTROL OVER THE MASTER LEASE TERMS SET FORTH AS RIDER G TO THE AGREEMENT FOR SO LONG AS THE EXISTING MASTER CFS LEASE REMAINS IN EFFECT. STANDARD TERMS AND CONDITIONS AND APPLICABLE RIDERS INCORPORATED HEREIN ARE AVAILABLE AT <a href="http://ESS.CSA.CANON.COM/CUSTOMERDOCUMENTS">ESS.CSA.CANON.COM/CUSTOMERDOCUMENTS</a> , AND SHALL APPLY TO THE EXTENT NOT MODIFIED BY THE AGREEMENT. THIS SCHEDULE CONSTITUTES A LEASE OF THE LISTED ITEMS, AND IS BINDING ON CUSTOMER UPON SIGNING BY CUSTOMER, AND IS BINDING ON CSA AND LESSOR AS PROVIDED IN THE LEASE TERMS. THIS SCHEDULE IS NON-CANCELABLE BY CUSTOMER. CUSTOMER REPRESENTS THAT EXECUTION OF THIS SCHEDULE HAS BEEN DULY AUTHORIZED. BY YOUR SIGNATURE, CUSTOMER AGREES TO LEASE THE LISTED ITEMS AND, IF SELECTED, TO PURCHASE THE MAINTENANCE SERVICES DESCRIBED HEREIN. YOU ACKNOWLEDGE RECEIPT OF A COPY OF THIS SCHEDULE.								
Customer Authorized Signature:		Printed Name:		Title:		Date:		
<b>ACCEPTANCE CERTIFICATE</b>								
To: CSA and Lessor: Customer certifies that (a) the Listed Items referred to in the above Schedule have been received, (b) installation has been completed, (c) the Listed Items have been examined by Customer and are in good operating order and condition and are, in all respects, satisfactory to the Customer, and (d) the Listed Items are irrevocably accepted by the Customer for all purposes under the Agreement. Accordingly, Customer hereby authorizes billing under this Schedule.								
Authorized Signature:		Printed Name:		Title:		Date:		
<b>For Internal Purposes Only:</b>		Printed Name:		Title:		Date:		
CFS Authorized Signature:		Printed Name:		Title:		Date:		



Additional Equipment List to: S1362817 (SER-701)

Customer: NOVI CITY OF (INC)

Agreement #: MA36530

Order Date: 03/27/23 Salesperson: Jack D Chesser

Rider A applies (Office Equip/Cut Sheet Production)		Maint Base Charge Section A-2	Covered Images Included in Maint Base Charge			Excess Per Image Charge(s)
		See Page 1	See Page 1			See Page 1
Item Code	Listed Items Description	Qty	Unit Pmt	Total	Ship To & Maintenance Billing Information	
4914C002	IRADVDC3826I	1	Included	Included	<b>Shipping:</b> 45175 W 10 MILE RD <b>Delivery Date:</b> 03/31/23	
4917C002	CASSETTE FEEDING UNIT-AW1	1	Included	Included	<b>Address 2:</b> City Manager Office DEPT	
4000C002	INNER FINISHER-L1	1	Included	Included	<b>City:</b> NOVI <b>County:</b> OAKLAND <b>State:</b> MI <b>Zip:</b> 48375-3024	
4919C001	SUPER G3 FAX BOARD-BH1	1	Included	Included	<b>Contact:</b> MICHELLE POLLOCK <b>Ph #:</b> 248.347.0527 <b>Email:</b> mpollock@cityofnovi.org	
2368V119	LOW VOLUME CONNECTIVITY UP TO 30PPM	1	Included	Included	<b>Mtr Contact:</b> <b>Ph #:</b> <b>Email:</b>	
1972V064	ESP NEXT GEN PCS POWER FILTER 120VOLTS 15 AMP XG-PCS-15D	1	Included	Included	<b>IT Contact:</b> MICHELLE POLLO <b>Ph #:</b> 248.347.0527 <b>Email:</b> mpollock@cityofnovi.org	
3754V837	IR ADV DX C3730/3725/3835/3830/3826 INSTALL PAK	1	Included	Included	<b>Billing:</b>	
IntSupplies	Pre-Installed Supplies Installed in Machine	1	Included	Included	<b>Address 2:</b>	
					<b>City:</b> <b>County:</b> <b>State:</b> <b>Zip:</b>	
					<b>Contact:</b> <b>Ph #:</b> <b>Email:</b>	
					<b>Elevator:</b> No <b>Loading Dock:</b> No <b># of Steps:</b> 0 <b>Hrs of Operation:</b> 9-5	
					Consumables: Toner Only	
					Meter Method: Remote Reporting Agent <span style="float: right;">Corporate Advantage</span>	
					<b>For CSA USE ONLY:</b>	
					Config: A - 2   73211742	

Rider A applies (Office Equip/Cut Sheet Production)		Maint Base Charge Section A-3	Covered Images Included in Maint Base Charge			Excess Per Image Charge(s)
		See Page 1	See Page 1			See Page 1
Item Code	Listed Items Description	Qty	Unit Pmt	Total	Ship To & Maintenance Billing Information	
4914C002	IRADVDC3826I	1	Included	Included	<b>Shipping:</b> 49375 10 Mile Road <b>Delivery Date:</b> 03/31/23	
4917C002	CASSETTE FEEDING UNIT-AW1	1	Included	Included	<b>Address 2:</b> Fire Station 4	
4000C002	INNER FINISHER-L1	1	Included	Included	<b>City:</b> NOVI <b>County:</b> OAKLAND <b>State:</b> MI <b>Zip:</b> 48375-3024	
4919C001	SUPER G3 FAX BOARD-BH1	1	Included	Included	<b>Contact:</b> MICHELLE POLLOCK <b>Ph #:</b> 248.347.0527 <b>Email:</b> mpollock@cityofnovi.org	
2368V119	LOW VOLUME CONNECTIVITY UP TO 30PPM	1	Included	Included	<b>Mtr Contact:</b> <b>Ph #:</b> <b>Email:</b>	
1972V064	ESP NEXT GEN PCS POWER FILTER 120VOLTS 15 AMP XG-PCS-15D	1	Included	Included	<b>IT Contact:</b> MICHELLE POLLO <b>Ph #:</b> 248.347.0527 <b>Email:</b> mpollock@cityofnovi.org	
3754V837	IR ADV DX C3730/3725/3835/3830/3826 INSTALL PAK	1	Included	Included	<b>Billing:</b>	
IntSupplies	Pre-Installed Supplies Installed in Machine	1	Included	Included	<b>Address 2:</b>	
					<b>City:</b> <b>County:</b> <b>State:</b> <b>Zip:</b>	
					<b>Contact:</b> <b>Ph #:</b> <b>Email:</b>	
					<b>Elevator:</b> No <b>Loading Dock:</b> No <b># of Steps:</b> 0 <b>Hrs of Operation:</b> 9-5	
					Consumables: Toner Only	
					Meter Method: Remote Reporting Agent <span style="float: right;">Corporate Advantage</span>	
					<b>For CSA USE ONLY:</b>	
					Config: A - 3   73211742	



Additional Equipment List to: S1362817 (SER-701)

Customer: NOVI CITY OF (INC)

Agreement #: MA36530

Order Date: 03/27/23 Salesperson: Jack D Chesser

Rider A applies (Office Equip/Cut Sheet Production)		Maint Base Charge Section A-4	Covered Images Included in Maint Base Charge			Excess Per Image Charge(s)
		See Page 1	See Page 1			See Page 1
Item Code	Listed Items Description	Qty	Unit Pmt	Total	Ship To & Maintenance Billing Information	
4914C002	IRADVDC3826I	1	Included	Included	Shipping: 42975 Grand River Ave Delivery Date: 03/31/23	
4917C002	CASSETTE FEEDING UNIT-AW1	1	Included	Included	Address 2: Fire Station 1	
4000C002	INNER FINISHER-L1	1	Included	Included	City: NOVI County: OAKLAND State: MI Zip: 48375-3024	
4919C001	SUPER G3 FAX BOARD-BH1	1	Included	Included	Contact: MICHELLE POLLOCK Ph #: 248.347.0527 Email: mpollock@cityofnovi.org	
2368V119	LOW VOLUME CONNECTIVITY UP TO 30PPM	1	Included	Included	Mtr Contact: Ph #: Email:	
1972V064	ESP NEXT GEN PCS POWER FILTER 120VOLTS 15 AMP XG-PCS-15D	1	Included	Included	IT Contact: MICHELLE POLLO Ph #: 248.347.0527 Email: mpollock@cityofnovi.org	
3754V837	IR ADV DX C3730/3725/3835/3830/3826 INSTALL PAK	1	Included	Included	Billing:	
IntSupplies	Pre-Installed Supplies Installed in Machine	1	Included	Included	Address 2: City: County: State: Zip: Contact: Ph #: Email:	
					Elevator: No Loading Dock: No # of Steps: 0 Hrs of Operation: 9-5	
					Consumables: Toner Only	
					Meter Method: Remote Reporting Agent Corporate Advantage	
					For CSA USE ONLY:	
					Config: A - 4   73211742	

Rider A applies (Office Equip/Cut Sheet Production)		Maint Base Charge Section B-1	Covered Images Included in Maint Base Charge			Excess Per Image Charge(s)
		See Page 1	See Page 1			See Page 1
Item Code	Listed Items Description	Qty	Unit Pmt	Total	Ship To & Maintenance Billing Information	
4913C002	IRADVDC3830I	1	Included	Included	Shipping: 45125 W 10 MILE RD Delivery Date: 03/31/23	
4917C002	CASSETTE FEEDING UNIT-AW1	1	Included	Included	Address 2: Police Record Dept	
4000C002	INNER FINISHER-L1	1	Included	Included	City: NOVI County: OAKLAND State: MI Zip: 48375-3024	
4919C001	SUPER G3 FAX BOARD-BH1	1	Included	Included	Contact: MICHELLE POLLOCK Ph #: 248.347.0527 Email: mpollock@cityofnovi.org	
2368V119	LOW VOLUME CONNECTIVITY UP TO 30PPM	1	Included	Included	Mtr Contact: Ph #: Email:	
1972V064	ESP NEXT GEN PCS POWER FILTER 120VOLTS 15 AMP XG-PCS-15D	1	Included	Included	IT Contact: MICHELLE POLLO Ph #: 248.347.0527 Email: mpollock@cityofnovi.org	
3754V837	IR ADV DX C3730/3725/3835/3830/3826 INSTALL PAK	1	Included	Included	Billing:	
IntSupplies	Pre-Installed Supplies Installed in Machine	1	Included	Included	Address 2: City: County: State: Zip: Contact: Ph #: Email:	
					Elevator: No Loading Dock: No # of Steps: 0 Hrs of Operation: 9-5	
					Consumables: Toner Only	
					Meter Method: Remote Reporting Agent Corporate Advantage	
					For CSA USE ONLY:	
					Config: B - 1   73211743	



Additional Equipment List to: S1362817 (SER-701)

Customer: NOVI CITY OF (INC)

Agreement #: MA36530

Order Date: 03/27/23 Salesperson: Jack D Chesser

Rider A applies (Office Equip/Cut Sheet Production)		Maint Base Charge Section B-2	Covered Images Included in Maint Base Charge			Excess Per Image Charge(s)
		See Page 1	See Page 1			See Page 1
Item Code	Listed Items Description	Qty	Unit Pmt	Total	Ship To & Maintenance Billing Information	
4913C002	IRADVDC3830I	1	Included	Included	Shipping: 45125 W 10 MILE RD Delivery Date: 03/31/23	
4917C002	CASSETTE FEEDING UNIT-AW1	1	Included	Included	Address 2: Police Dispatch Dept	
4000C002	INNER FINISHER-L1	1	Included	Included	City: NOVI County: OAKLAND State: MI Zip: 48375-3024	
4919C001	SUPER G3 FAX BOARD-BH1	1	Included	Included	Contact: MICHELLE POLLOCK Ph #: 248.347.0527 Email: mpollock@cityofnovi.org	
2368V119	LOW VOLUME CONNECTIVITY UP TO 30PPM	1	Included	Included	Mtr Contact: Ph #: Email:	
1972V064	ESP NEXT GEN PCS POWER FILTER 120VOLTS 15 AMP XG-PCS-15D	1	Included	Included	IT Contact: MICHELLE POLLO Ph #: 248.347.0527 Email: mpollock@cityofnovi.org	
3754V837	IR ADV DX C3730/3725/3835/3830/3826 INSTALL PAK	1	Included	Included	Billing:	
IntSupplies	Pre-Installed Supplies Installed in Machine	1	Included	Included	Address 2: City: County: State: Zip: Contact: Ph #: Email:	
					Elevator: No Loading Dock: No # of Steps: 0 Hrs of Operation: 9-5	
					Consumables: Toner Only	
					Meter Method: Remote Reporting Agent Corporate Advantage	
					For CSA USE ONLY:	
					Config: B - 2   73211743	

Rider A applies (Office Equip/Cut Sheet Production)		Maint Base Charge Section B-3	Covered Images Included in Maint Base Charge			Excess Per Image Charge(s)
		See Page 1	See Page 1			See Page 1
Item Code	Listed Items Description	Qty	Unit Pmt	Total	Ship To & Maintenance Billing Information	
4913C002	IRADVDC3830I	1	Included	Included	Shipping: 45175 W 10 MILE RD Delivery Date: 03/31/23	
4917C002	CASSETTE FEEDING UNIT-AW1	1	Included	Included	Address 2: Treasurer Dept	
4000C002	INNER FINISHER-L1	1	Included	Included	City: NOVI County: OAKLAND State: MI Zip: 48375-3024	
4919C001	SUPER G3 FAX BOARD-BH1	1	Included	Included	Contact: MICHELLE POLLOCK Ph #: 248.347.0527 Email: mpollock@cityofnovi.org	
2368V119	LOW VOLUME CONNECTIVITY UP TO 30PPM	1	Included	Included	Mtr Contact: Ph #: Email:	
1972V064	ESP NEXT GEN PCS POWER FILTER 120VOLTS 15 AMP XG-PCS-15D	1	Included	Included	IT Contact: MICHELLE POLLO Ph #: 248.347.0527 Email: mpollock@cityofnovi.org	
3754V837	IR ADV DX C3730/3725/3835/3830/3826 INSTALL PAK	1	Included	Included	Billing:	
IntSupplies	Pre-Installed Supplies Installed in Machine	1	Included	Included	Address 2: City: County: State: Zip: Contact: Ph #: Email:	
					Elevator: No Loading Dock: No # of Steps: 0 Hrs of Operation: 9-5	
					Consumables: Toner Only	
					Meter Method: Remote Reporting Agent Corporate Advantage	
					For CSA USE ONLY:	
					Config: B - 3   73211743	



Additional Equipment List to: S1362817 (SER-701)

Customer: NOVI CITY OF (INC)

Agreement #: MA36530

Order Date: 03/27/23 Salesperson: Jack D Chesser

Rider A applies (Office Equip/Cut Sheet Production)		Maint Base Charge Section B-4	Covered Images Included in Maint Base Charge			Excess Per Image Charge(s)
		See Page 1	See Page 1			See Page 1
Item Code	Listed Items Description	Qty	Unit Pmt	Total	Ship To & Maintenance Billing Information	
4913C002	IRADVDC3830I	1	Included	Included	Shipping: 45125 W 10 MILE RD Delivery Date: 03/31/23	
4917C002	CASSETTE FEEDING UNIT-AW1	1	Included	Included	Address 2: Police Dept Detectives	
4000C002	INNER FINISHER-L1	1	Included	Included	City: NOVI County: OAKLAND State: MI Zip: 48375-3024	
4919C001	SUPER G3 FAX BOARD-BH1	1	Included	Included	Contact: MICHELLE POLLOCK Ph #: 248.347.0527 Email: mpollock@cityofnovi.org	
2368V119	LOW VOLUME CONNECTIVITY UP TO 30PPM	1	Included	Included	Mtr Contact: Ph #: Email:	
1972V064	ESP NEXT GEN PCS POWER FILTER 120VOLTS 15 AMP XG-PCS-15D	1	Included	Included	IT Contact: MICHELLE POLLO Ph #: 248.347.0527 Email: mpollock@cityofnovi.org	
3754V837	IR ADV DX C3730/3725/3835/3830/3826 INSTALL PAK	1	Included	Included	Billing:	
IntSupplies	Pre-Installed Supplies Installed in Machine	1	Included	Included	Address 2: City: County: State: Zip: Contact: Ph #: Email:	
					Elevator: No Loading Dock: No # of Steps: 0 Hrs of Operation: 9-5	
					Consumables: Toner Only	
					Meter Method: Remote Reporting Agent Corporate Advantage	
					For CSA USE ONLY:	
					Config: B - 4   73211743	

Rider A applies (Office Equip/Cut Sheet Production)		Maint Base Charge Section B-5	Covered Images Included in Maint Base Charge			Excess Per Image Charge(s)
		See Page 1	See Page 1			See Page 1
Item Code	Listed Items Description	Qty	Unit Pmt	Total	Ship To & Maintenance Billing Information	
4913C002	IRADVDC3830I	1	Included	Included	Shipping: 45125 W 10 MILE RD Delivery Date: 03/31/23	
4917C002	CASSETTE FEEDING UNIT-AW1	1	Included	Included	Address 2: Police Admin. Dept 2nd flr	
4000C002	INNER FINISHER-L1	1	Included	Included	City: NOVI County: OAKLAND State: MI Zip: 48375-3024	
4919C001	SUPER G3 FAX BOARD-BH1	1	Included	Included	Contact: MICHELLE POLLOCK Ph #: 248.347.0527 Email: mpollock@cityofnovi.org	
2368V119	LOW VOLUME CONNECTIVITY UP TO 30PPM	1	Included	Included	Mtr Contact: Ph #: Email:	
1972V064	ESP NEXT GEN PCS POWER FILTER 120VOLTS 15 AMP XG-PCS-15D	1	Included	Included	IT Contact: MICHELLE POLLO Ph #: 248.347.0527 Email: mpollock@cityofnovi.org	
3754V837	IR ADV DX C3730/3725/3835/3830/3826 INSTALL PAK	1	Included	Included	Billing:	
IntSupplies	Pre-Installed Supplies Installed in Machine	1	Included	Included	Address 2: City: County: State: Zip: Contact: Ph #: Email:	
					Elevator: No Loading Dock: No # of Steps: 0 Hrs of Operation: 9-5	
					Consumables: Toner Only	
					Meter Method: Remote Reporting Agent Corporate Advantage	
					For CSA USE ONLY:	
					Config: B - 5   73211743	



Additional Equipment List to: S1362817 (SER-701)

Customer: NOVI CITY OF (INC)

Agreement #: MA36530

Order Date: 03/27/23 Salesperson: Jack D Chesser

Rider A applies (Office Equip/Cut Sheet Production)		Maint Base Charge Section C	Covered Images Included in Maint Base Charge			Excess Per Image Charge(s)
		See Page 1	See Page 1			See Page 1
Item Code	Listed Items Description	Qty	Unit Pmt	Total	Ship To & Maintenance Billing Information	
4912C002	IRADVDC3835I	1	Included	Included	Shipping: 45175 W 10 MILE RD Delivery Date: 03/31/23	
4917C002	CASSETTE FEEDING UNIT-AW1	1	Included	Included	Address 2: PRCS Dept	
4000C002	INNER FINISHER-L1	1	Included	Included	City: NOVI County: OAKLAND State: MI Zip: 48375-3024	
4919C001	SUPER G3 FAX BOARD-BH1	1	Included	Included	Contact: MICHELLE POLLOCK Ph #: 248.347.0527 Email: mpollock@cityofnovi.org	
2368V120	MID VOLUME CONNECTIVITY 30+PPM UP TO 79PPM	1	Included	Included	Mtr Contact: Ph #: Email:	
1972V064	ESP NEXT GEN PCS POWER FILTER 120VOLTS 15 AMP XG-PCS-15D	1	Included	Included	IT Contact: MICHELLE POLLO Ph #: 248.347.0527 Email: mpollock@cityofnovi.org	
3754V837	IR ADV DX C3730/3725/3835/3830/3826 INSTALL PAK	1	Included	Included	Billing:	
IntSupplies	Pre-Installed Supplies Installed in Machine	1	Included	Included	Address 2: City: County: State: Zip: Contact: Ph #: Email:	
					Elevator: No Loading Dock: No # of Steps: 0 Hrs of Operation: 9-5	
					Consumables: Toner Only	
					Meter Method: Remote Reporting Agent Corporate Advantage	
					For CSA USE ONLY:	
					Config: C   73211744	

Rider A applies (Office Equip/Cut Sheet Production)		Maint Base Charge Section D	Covered Images Included in Maint Base Charge			Excess Per Image Charge(s)
		See Page 1	See Page 1			See Page 1
Item Code	Listed Items Description	Qty	Unit Pmt	Total	Ship To & Maintenance Billing Information	
3827C002	IRADVDC5840I	1	Included	Included	Shipping: 45175 W 10 MILE RD Delivery Date: 03/31/23	
4030C002	CASSETTE FEEDING UNIT-AQ1	1	Included	Included	Address 2: FINANCE dEPT	
4000C002	INNER FINISHER-L1	1	Included	Included	City: NOVI County: OAKLAND State: MI Zip: 48375-3024	
3998C001	SUPER G3 FAX BOARD-AX1	1	Included	Included	Contact: MICHELLE POLLOCK Ph #: 248.347.0527 Email: mpollock@cityofnovi.org	
1972V064	ESP NEXT GEN PCS POWER FILTER 120VOLTS 15 AMP XG-PCS-15D	1	Included	Included	Mtr Contact: Ph #: Email:	
2368V120	MID VOLUME CONNECTIVITY 30+PPM UP TO 79PPM	1	Included	Included	IT Contact: MICHELLE POLLO Ph #: 248.347.0527 Email: mpollock@cityofnovi.org	
3923V843	INSTALL PAK DX C5870I/C5860I/C5850I/C5840I	1	Included	Included	Billing:	
IntSupplies	Pre-Installed Supplies Installed in Machine	1	Included	Included	Address 2: City: County: State: Zip: Contact: Ph #: Email:	
					Elevator: No Loading Dock: No # of Steps: 0 Hrs of Operation: 9-5	
					Consumables: Toner Only	
					Meter Method: Remote Reporting Agent Corporate Advantage	
					For CSA USE ONLY:	
					Config: D   73211745	



Additional Equipment List to: S1362817 (SER-701)

Customer: NOVI CITY OF (INC)

Agreement #: MA36530

Order Date: 03/27/23 Salesperson: Jack D Chesser

Rider A applies (Office Equip/Cut Sheet Production)		Maint Base Charge Section E	Covered Images Included in Maint Base Charge			Excess Per Image Charge(s)
		See Page 1	See Page 1			See Page 1
Item Code	Listed Items Description	Qty	Unit Pmt	Total	Ship To & Maintenance Billing Information	
3827C002	IRADVDC5840I	1	Included	Included	Shipping: 26300 Lee BeGole Drive Delivery Date: 03/31/23	
4030C002	CASSETTE FEEDING UNIT-AQ1	1	Included	Included	Address 2: DPS	
4000C002	INNER FINISHER-L1	1	Included	Included	City: NOVI County: OAKLAND State: MI Zip: 48375-3024	
3998C001	SUPER G3 FAX BOARD-AX1	1	Included	Included	Contact: MICHELLE POLLOCK Ph #: 248.347.0527 Email: mpollock@cityofnovi.org	
1972V064	ESP NEXT GEN PCS POWER FILTER 120VOLTS 15 AMP XG-PCS-15D	1	Included	Included	Mtr Contact: Ph #: Email:	
2368V120	MID VOLUME CONNECTIVITY 30+PPM UP TO 79PPM	1	Included	Included	IT Contact: MICHELLE POLLO Ph #: 248.347.0527 Email: mpollock@cityofnovi.org	
3923V843	INSTALL PAK DX C5870I/C5860I/C5850I/C5840I	1	Included	Included	Billing:	
IntSupplies	Pre-Installed Supplies Installed in Machine	1	Included	Included	Address 2: City: County: State: Zip:	
					Contact: Ph #: Email:	
					Elevator: No Loading Dock: No # of Steps: 0 Hrs of Operation: 9-5	
					Consumables: Toner Only	
					Meter Method: Remote Reporting Agent Corporate Advantage	
					For CSA USE ONLY:	
					Config: E   73211746	

Rider A applies (Office Equip/Cut Sheet Production)		Maint Base Charge Section F	Covered Images Included in Maint Base Charge			Excess Per Image Charge(s)
		See Page 1	See Page 1			See Page 1
Item Code	Listed Items Description	Qty	Unit Pmt	Total	Ship To & Maintenance Billing Information	
3827C002	IRADVDC5840I	1	Included	Included	Shipping: 45175 W 10 MILE RD Delivery Date: 03/31/23	
0607C002	PAPER DECK UNIT-F1	1	Included	Included	Address 2: Clerks Office	
4030C002	CASSETTE FEEDING UNIT-AQ1	1	Included	Included	City: NOVI County: OAKLAND State: MI Zip: 48375-3024	
4000C002	INNER FINISHER-L1	1	Included	Included	Contact: MICHELLE POLLOCK Ph #: 248.347.0527 Email: mpollock@cityofnovi.org	
4002C002	INNER 2/3 HOLE PUNCHER-D1	1	Included	Included	Mtr Contact: Ph #: Email:	
3998C001	SUPER G3 FAX BOARD-AX1	1	Included	Included	IT Contact: MICHELLE POLLO Ph #: 248.347.0527 Email: mpollock@cityofnovi.org	
1972V064	ESP NEXT GEN PCS POWER FILTER 120VOLTS 15 AMP XG-PCS-15D	1	Included	Included	Billing:	
2368V120	MID VOLUME CONNECTIVITY 30+PPM UP TO 79PPM	1	Included	Included	Address 2:	
3923V843	INSTALL PAK DX C5870I/C5860I/C5850I/C5840I	1	Included	Included	City: County: State: Zip:	
IntSupplies	Pre-Installed Supplies Installed in Machine	1	Included	Included	Contact: Ph #: Email:	
					Elevator: No Loading Dock: No # of Steps: 0 Hrs of Operation: 9-5	
					Consumables: Toner Only	
					Meter Method: Remote Reporting Agent Corporate Advantage	
					For CSA USE ONLY:	
					Config: F   73211747	





Additional Equipment List to: S1362817 (SER-701)

Customer: NOVI CITY OF (INC)

Agreement #: MA36530

Order Date: 03/27/23 Salesperson: Jack D Chesser

Rider A applies (Office Equip/Cut Sheet Production)		Maint Base Charge Section G	Covered Images Included in Maint Base Charge			Excess Per Image Charge(s)
		See Page 1	See Page 1			See Page 1
Item Code	Listed Items Description	Qty	Unit Pmt	Total	Ship To & Maintenance Billing Information	
3827C002	IRADVDC5840I	1	Included	Included	Shipping: 45175 W 10 MILE RD Delivery Date: 03/31/23	
4030C002	CASSETTE FEEDING UNIT-AQ1	1	Included	Included	Address 2: Planning Dept PRC	
4000C002	INNER FINISHER-L1	1	Included	Included	City: NOVI County: OAKLAND State: MI Zip: 48375-3024	
3998C001	SUPER G3 FAX BOARD-AX1	1	Included	Included	Contact: MICHELLE POLLOCK Ph #: 248.347.0527 Email: mpollock@cityofnovi.org	
1972V064	ESP NEXT GEN PCS POWER FILTER 120VOLTS 15 AMP XG-PCS-15D	1	Included	Included	Mtr Contact: Ph #: Email:	
2368V120	MID VOLUME CONNECTIVITY 30+PPM UP TO 79PPM	1	Included	Included	IT Contact: MICHELLE POLLOCK Ph #: 248.347.0527 Email: mpollock@cityofnovi.org	
3923V843	INSTALL PAK DX C5870I/C5860I/C5850I/C5840I	1	Included	Included	Billing:	
IntSupplies	Pre-Installed Supplies Installed in Machine	1	Included	Included	Address 2: City: County: State: Zip: Contact: Ph #: Email:	
					Elevator: No Loading Dock: No # of Steps: 0 Hrs of Operation: 9-5	
					Consumables: Toner Only	
					Meter Method: Remote Reporting Agent Corporate Advantage	
					For CSA USE ONLY:	
					Config: G   73211748	

		Maint Base Charge Section	Covered Images Included in Maint Base Charge			Excess Per Image Charge(s)
Item Code	Listed Items Description	Qty	Unit Pmt	Total	Ship To & Maintenance Billing Information	
					Shipping: Delivery Date:	
					Address 2:	
					City: County: State: Zip:	
					Contact: Ph #: Email:	
					Mtr Contact: Ph #: Email:	
					IT Contact: Ph #: Email:	
					Billing:	
					Address 2:	
					City: County: State: Zip:	
					Contact: Ph #: Email:	
					Elevator: Loading Dock: # of Steps: Hrs of Operation:	
					For CSA USE ONLY:	



CANON SOLUTIONS AMERICA

**imageRUNNER**  
ADVANCE DX  
**C5870i / C5860i**  
**C5850i / C5840i**

## imageRUNNER ADVANCE DX C5800 Series

Color  
Mid-volume  
Multifunction

Print up to 70 ppm (BW/color)

Scan up to 270 ipm (300 dpi) (BW/color, duplex)

Print up to 12" × 18"

6,350-sheet maximum paper capacity

Canon's comprehensive portfolio of imageRUNNER ADVANCE DX multifunction printers and integrated solutions can help **simplify** the end user experience and management of technology, better **control** sensitive information and print-related costs, and help ensure that technology investments proactively **evolve** with changing needs.



### WORKFLOW EFFICIENCY

- 10.1" intuitive touchscreen with smartphone-like usability.
- A unique, customized experience tailored to individual preferences using My ADVANCE.
- Supports mobile solutions and integration with many popular cloud services like Google Drive.<sup>1</sup>
- Scan and convert documents to searchable digital files in a variety of file formats.
- Integration with Canon and various third-party software with embedded application platform.
- Hot Folders allow users to drag and drop a file into a hot folder and automatically print with pre-defined settings such as number of copies and finishing requirements.



### SECURITY

- Advanced standard security feature set to help safeguard sensitive information and assist in regulatory compliance.
- Integrates with existing, third-party SIEM\*<sup>2</sup> systems to help provide real-time, comprehensive insights into potential threats to the network and printers.
- Technology to verify that the device boot process, firmware, and applications initialize without alteration at startup. McAfee Embedded Control<sup>3</sup> utilizes a whitelist to protect against malware and tampering of firmware and applications.
- Security policy settings can be controlled with a dedicated password, configured from a central location, and exported to other supported devices.
- Control access to the device and specific features, using a host of flexible authentication methods—PIN code, user name/password, or card access.<sup>4</sup>



### QUALITY AND RELIABILITY

- Canon's signature reliability and engine technologies help keep productivity high and minimize the impact on support resources.
- Outstanding imaging technologies and toner allow for consistently striking images, thanks to Canon's V<sup>2</sup> color profile.
- Designed to achieve maximum uptime with status notifications that help keep supplies replenished and intuitive maintenance videos for consumables replacement.
- imageRUNNER ADVANCE models have received many awards and recognition from leading industry analysts, often referencing strong reliability.

\* Security Information and Event Management.



## DEVICE AND FLEET MANAGEMENT

- Designed for quick, easy deployment.
- Remote diagnostics and parts life management for proactive maintenance and rapid fixes.
- Easy and intuitive to monitor device status and consumable levels, turn off devices remotely, observe meter readings, manage settings, and implement security policies.
- Common firmware and regular updates with Unified Firmware Platform (UFP) for continuous improvements and consistency across a fleet.



## COST MANAGEMENT


- Track and assess print, copy, scan, and fax usage and allocate costs to departments or projects.
- Apply print policies and restrict usage by user to help reduce unnecessary printing and contribute to cost efficiency.
- Standard cloud-based solution provides a centralized dashboard with up-to-the-minute insights into printer activity.
- Upgrade to uniFLOW server or cloud-based solutions for full accounting and reporting for compatible Canon and third-party devices, pull printing, job routing, and powerful scan workflows.



## SUSTAINABILITY

- A combination of fusing technologies and low-melting-point toner minimizes power requirements and helps achieve low energy consumption.
- Encourage environmentally conscious work practices by enabling multiple settings that can help save paper and energy.
- ENERGY STAR® certified and rated EPEAT® Gold<sup>5</sup>

## CONFIGURATION OPTIONS



\* Inner Finisher-L1 not available on imageRUNNER ADVANCE DX C5870i.

\*\* Staple-free stapling, up to ten pages of 17 lb. Bond.

‡ Required when Staple Finisher-AB1 or Booklet Finisher-AB1 is not installed.

# SPECIFICATIONS

## Main Unit

### Type

Color Laser Multifunctional

### Core Functions

Standard: Print, Copy, Scan, Send, Store  
Optional: Fax

### Control Panel

10.1" TFT LCD WSVGA Color Flat-panel

### Memory

5.0 GB RAM

### Solid State Drive

Standard: 256 GB  
Optional: 1 TB

### Interface Connection

Network: 1000Base-T/100Base-TX/10Base-T,  
Wireless LAN (IEEE 802.11 b/g/n)  
Optional: NFC, Bluetooth Low Energy

### Others

Standard: USB 2.0 (Host) x1, USB 3.0 (Host) x1,  
USB 2.0 (Device) x1  
Optional: Copy Control Interface

### Paper Output Capacity (LTR, 20 lb. Bond)

Standard: 250 Sheets  
Maximum: 3,450 Sheets  
(with Staple Finisher-AB1 or Booklet  
Finisher-AB1 and 3rd Copy Tray Kit-A1)

### Paper Sources (LTR, 20 lb. Bond)

Standard: Dual 550-sheet Paper Cassettes,  
100-sheet Stack Bypass  
Optional: Dual 550-Sheet Paper Cassettes  
(Cassette Feeding Unit-AM1), 2,450-Sheet  
High Capacity Paper Cassette (High  
Capacity Cassette Feeding Unit-C1),  
2,700-Sheet Paper Deck  
(Paper Deck Unit-F1)

### Paper Capacity (LTR, 20 lb. Bond)

Standard: 1,200 Sheets  
Maximum: 6,350 Sheets

### Finishing Capabilities

Standard: Collate, Group  
With Options: Collate, Group, Offset, Staple, Saddle-Stitch,  
Hole Punch, Staple Free Stapling, Staple On  
Demand<sup>6</sup>

### Supported Media Types

Multi-Purpose Tray: Thin, Plain, Recycled, Color, Heavy, Coated,  
Tracing, Bond, Transparency, Label,  
Pre-punched, Letterhead, Tab, Envelope  
Paper: Thin, Plain, Recycled, Color, Heavy, Bond,  
Cassettes: Transparency, Pre-punched, Letterhead,  
Envelope<sup>7</sup>

### Supported Media Sizes

Upper Cassette: Letter, Executive, Statement-R, Envelope  
[No.10 (COM10), Monarch, DL, ISO-C5],  
Custom Size (3-7/8" x 5-7/8" to 11-3/4" x  
8-1/2")  
Lower Cassette: 12" x 18", 11" x 17", Legal, Letter, Letter-R,  
Executive, Statement-R, Envelope  
[No.10 (COM10), Monarch, DL, ISO-C5],  
Custom Size (3-7/8" x 5-7/8" to 12" x 18")  
Multi-Purpose Tray: 12" x 18", 11" x 17", Legal, Letter, Letter-R,  
Executive, Statement, Statement-R,  
Envelope [No.10 (COM10), Monarch, DL,  
ISO-C5], Envelope Custom Size (3-7/8" x  
3-1/2" to 12-5/8" x 18"), Custom Size/  
Free Size (3-7/8" x 5-1/2" to 12-5/8" x 18")

### Supported Media Weights

Cassettes: 14 lb. Bond to 140 lb. Index (52 to 256 g/m<sup>2</sup>)  
Stack Bypass: 14 lb. Bond to 110 lb. Cover (52 to 300 g/m<sup>2</sup>)  
Duplexing: 14 lb. Bond to 140 lb. Index (52 to 256 g/m<sup>2</sup>)

### Print/Copy Speed (BW and Color)

C5870i: Up to 70 ppm (Letter); Up to 42 ppm  
(Letter-R); Up to 40 ppm (Legal);  
Up to 35 ppm (11" x 17")  
C5860i: Up to 60 ppm (Letter); Up to 36 ppm  
(Letter-R); Up to 34 ppm (Legal);  
Up to 32 ppm (11" x 17")  
C5850i: Up to 50 ppm (Letter); Up to 30 ppm  
(Letter-R); Up to 29 ppm (Legal);  
Up to 27 ppm (11" x 17")  
C5840i: Up to 40 ppm (Letter); Up to 24 ppm  
(Letter-R); Up to 23 ppm (Legal);  
Up to 21 ppm (11" x 17")

### Warm-up Time

From Power On: Approx. 6 Seconds<sup>8</sup>  
From Sleep Mode<sup>9</sup>  
C5870i: Approx. 7 Seconds  
C5860i/ C5850i/ C5840i: Approx. 6 Seconds  
Quick Startup Mode: Approx. 4 Seconds<sup>10</sup>

### Dimensions (W x D x H)

24-3/8" x 28-1/2" x 36-7/8" (620 x 722 x 937 mm)<sup>11</sup>

### Installation Space (W x D)

Basic: 44-7/8" x 45-3/4" (1,138 x 1,162 mm)  
(Right Cover Open with Multi-purpose  
tray extended + Cassette Drawers Open)  
Fully Configured: 73-1/2" x 45-3/4" (1,866 x 1,162 mm)  
(Staple Finisher-AB1 or Booklet Finisher-AB1  
with the extension tray extended + Paper  
Deck Unit-F1 + Cassette Drawers open)

### Weight<sup>12</sup>

C5870i: Approx. 238.1 lb. (108 kg)  
C5860i/ C5850i: Approx. 231.5 lb. (105 kg)  
C5840i: Approx. 229.3 lb. (104 kg)

## Print Specifications

### Print Resolution (dpi)

1200 x 1200

### Standard Page Description Languages

UFR II, PCL6, Adobe PS 3

### Supported File Types

PDF, TIFF, JPEG, EPS,<sup>13</sup> XPS

### Printing from Mobile Devices and Cloud-based Services

A range of standard and optional software and MEAP-based solutions (including AirPrint, Mopria, Universal Print by Microsoft®, Canon PRINT Business, and uniFLOW Online) are available to provide printing from mobile devices or internet-connected devices and cloud-based services depending on your requirements. Please contact your sales representative for further information.

### Fonts

PCL: 93 Roman, 10 Bitmap fonts, 2 OCR fonts,  
Andalé Mono WT J/K/S/T (Japanese,  
Korean, Simplified and Traditional Chinese),<sup>14</sup>  
Barcode Fonts<sup>15</sup>  
PS: 136 Roman

### Operating System<sup>16</sup>

UFR II/PS: Windows® 7/8.1/10/Server2008/  
Server2008 R2/Server2012/Server2012  
R2/Server2016/Server2019, Mac OS X  
(10.11 or later)  
PCL: Windows® 7/8.1/10/Server2008/  
Server2008 R2/Server2012/Server2012  
R2/Server2016/Server2019  
PPD: Windows® 7/8.1/10, Mac OS X(10.10 or later)

## Copy Specifications

### First-Copy-Out Time

C5870i: As fast as 2.7 seconds (BW)/  
3.7 seconds (Color)  
C5860i: As fast as 2.9 seconds (BW)/  
4.2 seconds (Color)  
C5850i: As fast as 3.3 seconds (BW)/  
4.9 seconds (Color)  
C5840i: As fast as 4.1 seconds (BW)/  
6.1 seconds (Color)

### Copy Resolution (dpi)

600 x 600

### Multiple Copies

Up to 999

### Magnification

25%-400% (1% Increments)

### Preset Reductions/Enlargements

25%, 50%, 64%, 73%, 78%, 100% (1:1), 121%, 129%,  
200%, 400%

## Scan Specifications

### Type

Single-Pass Duplexing Automatic Document Feeder

### Document Feeder Paper Capacity

Up to 200 Sheets (20 lb. Bond)

### Document Feeder Supported Media Sizes

11" x 17", Legal, Letter, Letter-R, Statement, Statement-R,  
Custom Size: 2-3/4" x 5-1/2" to 12" x 17"

### Document Feeder Supported Media Weights

Single-Sided Scanning: 13.3 lb. Bond to 80 lb. Cover (50 to 220 gsm)  
(BW, CL)  
Double-Sided Scanning: 13.3 lb. Bond to 80 lb. Cover (50 to 220 gsm)  
(BW, CL)

### Platen Acceptable Originals

Sheet, Book, 3-Dimensional Objects

### Pull Scan

Color Network Supported OS: ScanGear2 for both Twain and WIA  
Windows® 7/8.1/10/Server 2008/  
Server 2008 R2/Server 2012/  
Server 2012 R2/Server 2016

### Scan Resolution (dpi)

Scan for Copy: 600 x 600  
Scan for Send: (Push) 600 x 600 (SMB/FTP/WebDAV/  
iFAX), (Pull) 600 x 600  
Scan for Fax: 600 x 600

### Scan to Mobile Devices and Cloud-based Services

A range of solutions is available to provide scanning to compatible mobile devices and certain cloud-based services depending on your requirements.

### Scan Speed (LTR) (BW/CL)

Single-sided Scanning: 135/135 (300 dpi), 80/80 (600 dpi)  
Double-sided Scanning: 270/270 (300 dpi), 160/90 (600 dpi)

## Send Specifications

### Destination

Standard: E-mail/Internet FAX (SMTP), SMB3.0, FTP,  
WebDAV, Mail Box  
Optional: Super G3 FAX, IP Fax

### Address Book

LDAP (2,000)/Local (1,600)/Speed Dial (200)

### Send Resolution (dpi)

Push: Up to 600 x 600  
Pull: Up to 600 x 600

### Communication Protocol

File: FTP(TCP/IP), SMB3.0 (TCP/IP), WebDAV  
Email: SMTP, POP3

### File Format

Standard: TIFF, JPEG, PDF (Encrypted, Compact,  
Searchable, Apply Policy, Optimize for  
Web, User Signature, PDF A/1-b, Limited  
Color, Device Signature, User Signature),  
XPS (Compact, Searchable, Device Signature,  
User Signature), Office Open XML  
(PowerPoint, Word)

## Fax Specifications (Optional)

### Modem Speed

Super G3: 33.6 Kbps  
G3: 14.4 Kbps

### Compression Method

MH, MR, MMR, JBIG

### Resolution (dpi)

400 x 400, 200 x 400, 200 x 200, 200 x 100

### Sending/Recording Size

Statement-R to 11" x 17"

### Fax Memory

Up to 30,000 Pages (2,000 jobs)

### Speed Dials

Max. 200

### Group Dials/Destinations

Max. 199 Dials

### Sequential Broadcast

Max. 256 Addresses

### Memory Backup

Yes

## Store Specifications

### Mail Box (Number Supported)

100 User In-boxes, 1 Memory RX In-box, 50 Confidential Fax In-boxes, Maximum 10,000 Pages (2,000 jobs) Stored

### Advanced Box

Communication Protocol: SMB or WebDAV

Supported

Client PC: Windows (Windows 8.1/10)

Concurrent Connections (Max.)

SMB: 64

WebDAV: 3

### Advanced Box Available Disc Space

Approx. 16 GB (Standard HDD)

Approx. 480 GB (With Optional 1 TB HDD)

## Security Specifications

### Authentication and Access Control

User Authentication (Picture Login, Picture and PIN Login, Card Login, Username and Password Login, Function Level Login, Mobile Login), Department ID Authentication (Department ID and PIN Login, Function Level Login), uniFLOW Online Express<sup>17</sup> (PIN Login, Picture Login, Picture and PIN Login, Card Login, Card and PIN Login, Username and Password Login, Department ID and PIN Login, Function Level Login), Access Management System (Access Control)

### Document Security

Print Security (Secure Print, Encrypted Secure Print, Forced Hold Printing, uniFLOW Secure Print<sup>18</sup>), Receive Data Security (Confidential Fax Inbox Forwarding Received Documents Automatically), Scan Security (Encrypted PDF, Device Signature PDF/XPS, User Signature PDF/XPS, Adobe LiveCycle<sup>®</sup> Rights Management ES2.5 Integration), BOX Security (Mail Box Password Protected, Advanced Box Access Control), Send Data Security (Setting for requesting password input per transmission, Restricted E-mail/File send functions, Confirming FAX number, Allow/Restrict Fax Driver Transmissions, Allow/Restrict Sending from History, S/MIME Support), Document Tracking (Secure Watermark)

### Network Security

TLS 1.3, IPsec, IEEE802.1X authentication, SNMP V3.0, Firewall Functionality (IP/MAC Address Filtering), Dual Network Support (Wired LAN/Wireless LAN, Wired LAN/Wired LAN), Disabling Unused Functions (Enabling/Disabling Protocols/Applications, Enabling/Disabling Remote UI, Enabling/Disabling USB Interface), G3 FAX separation from LAN, USB Port separation from LAN, Prohibit the execution of files stored in Advanced Box in the MFP, Scan and Send-Virus Concerns for E-mail Reception

### Device Security

Protecting SSD Data [SSD Data Encryption (FIPS140-2 Validated), SSD Lock], Standard SSD Initialize, Trusted Platform Module (TPM), Job Log Conceal Function, Protecting MFD Software Integrity, Checking MFD Software Integrity (Verify System at Startup, Runtime Intrusion Detection)

### Device Management and Auditing

Administrator Password, Digital Certificate and Key Management, Audit Log, Cooperating with External Security Audit System (Security Information and Event Management), Image Data Logging, Security Policy Setting

## Environmental Specifications

### Operating Environment

Temperature: 50 to 86°F

Humidity: 20 to 80% RH (Relative Humidity)

### Power Requirements

C5870i/

C5860i/ 110-127V, 60Hz, 12A

C5850i/

C5840i: 110-127V, 60Hz, 10A

### Power Consumption

Maximum: Approx. 1,800 W

Standby: Approx. 56.1 W<sup>19</sup>

Sleep Mode: Approx. 0.8 W<sup>20</sup>

Typical Electricity Consumption (TEC) Rating<sup>21</sup>

C5870i: 0.86 kWh

C5860i: 0.71 kWh

C5850i: 0.57 kWh

C5840i: 0.47 kWh

### Standards

ENERGY STAR<sup>®</sup> Certified

Rated EPEAT<sup>®</sup> Gold

## Consumables

### Toner<sup>22</sup>

GPR-61 Toner BK/C/M/Y

GPR-61L Toner C/M/Y

### Toner Yield (Estimated @ 5% Coverage)

GPR-61 Toner

BK: 71,000 Pages

GPR-61 Toner

C/M/Y: 60,000 Pages

GPR-61L Toner

C/M/Y: 26,000 Pages

<sup>1</sup> Subscription to a third-party cloud service required. Subject to third-party cloud service providers' Terms and Conditions.

<sup>2</sup> Third-party SIEM system required. Subject to third-party SIEM system's Terms and Conditions. Canon cannot ensure compatibility with all third-party SIEM systems.

<sup>3</sup> This feature is off by default and must be turned on by the user. Warm-up times are affected once turned on.

<sup>4</sup> Requires additional option.

<sup>5</sup> For current EPEAT rating (Gold/Silver/Bronze), please visit [www.epeat.net](http://www.epeat.net).

<sup>6</sup> Finishing capabilities vary depending on the options connected.

<sup>7</sup> Envelope Feeder Attachment (standard) is required.

<sup>8</sup> Time from device power-on, until copy ready (not print reservation).

<sup>9</sup> Time from exiting Sleep mode to when printing is operational.

<sup>10</sup> Time from device power-on to when the copy icon appears and is enabled to operate on the touch panel display.

<sup>11</sup> Includes main unit and either Cassette Feeding Unit-AQ1, High Capacity Cassette Feeding Unit-C1, or Cabinet Type-V.

<sup>12</sup> Includes main unit, consumables, and Cassette Feeding Unit-AQ1.

<sup>13</sup> EPS can be printed directly only from the Remote User Interface.

<sup>14</sup> Requires the optional PCL International Font Set-A1.

<sup>15</sup> Requires the optional Barcode Printer Kit-D1.

<sup>16</sup> Other operating systems and environments, including AS/400, UNIX, Linux, and Citrix may be supported. Some of these solutions are chargeable. SAP Device Types are available via the SAP Market Place. For more information, contact your sales representative.

<sup>17</sup> No charge for this solution; however, activation is required.

<sup>18</sup> Requires uniFLOW Online/uniFLOW.

<sup>19</sup> Reference Value (measured one unit).

<sup>20</sup> 0.8 W Sleep mode not available in all circumstances due to certain settings.

<sup>21</sup> Based on ENERGY STAR Product Specification for Imaging Equipment Version 3.0.

<sup>22</sup> GPR-61L Toner also available for Color (C, M, Y). Yield (estimated @ 5% coverage) is 26,000 images.

For more information,  
call 1.800.815.4000  
or visit [csa.canon.com](http://csa.canon.com)



As an ENERGY STAR<sup>®</sup> Partner, Canon U.S.A., Inc. has certified these models as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Canon, imageRUNNER, imagePASS, and the GENUINE logo are registered trademarks or trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. Canon products offer certain security features, yet many variables can impact the security of your devices and data. Canon does not warrant that use of its features will prevent security issues. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified counsel determine the feasibility of a solution as it relates to regulatory and statutory compliance. McAfee and the McAfee logo are trademarks of McAfee LLC in the US and/or other countries. All other referenced product names and marks are trademarks of their respective owners. All features presented in this brochure may not apply to all Series and/or products and may be optional; please check with your Canon Solutions America Sales Representative for details. Product shown with optional accessories. Canon U.S.A. and Canon Solutions America do not provide legal counsel or regulatory compliance consultancy, including without limitation, Sarbanes-Oxley, HIPAA, GLBA, Check 21 or the USA Patriot Act. Each customer must have its own qualified counsel determine the advisability of a particular solution as it relates to regulatory and statutory compliance. Specifications and availability subject to change without notice. Not responsible for typographical errors.

©2021 Canon U.S.A., Inc. All rights reserved.

Federal Law prohibits copying of certain documents. Violators may be subject to penalties. We suggest that you check with your own legal counsel. Canon U.S.A., Inc., Canon Solutions America, Inc., and Canon Canada, Inc. intend to cooperate with Law Enforcement Agencies in connection with claims of unauthorized copying.

CSA-21-0373-5736  
0521R1-iRADXC5800SR5B-PDF-IH



To learn about Canon's many awards, visit  
[ess.csa.canon.com/awards](http://ess.csa.canon.com/awards).



CANON SOLUTIONS AMERICA

imageRUNNER  
ADVANCE DX  
C3835i/C3830i  
C3826i

## imageRUNNER ADVANCE DX C3800 Series

Color  
Low- to Mid-volume  
Multifunction

Print up to 35 ppm (BW/color)

Scan up to 270 ipm (300 dpi) (BW/color, duplex)

Print up to 12" × 18"

2,300-sheet maximum paper capacity

Canon's comprehensive portfolio of imageRUNNER ADVANCE DX multifunction printers and integrated solutions can help **simplify** the end user experience and management of technology, better **control** sensitive information and print-related costs, and help ensure that technology investments proactively **evolve** with changing needs.



### WORKFLOW EFFICIENCY

- 10.1" intuitive touchscreen with smartphone-like usability.
- A unique, customized experience tailored to individual preferences using My ADVANCE.
- Supports mobile solutions and integration with many popular cloud services like Google Drive!
- Scan and convert documents to searchable digital files in a variety of file formats.
- Integration with Canon and various third-party software with embedded application platform.
- Hot Folders allow users to drag and drop a file into a hot folder, and automatically print with predefined settings such as number of copies and finishing requirements.



### SECURITY

- Advanced standard security feature set to help safeguard sensitive information and assist in regulatory compliance.
- Integrates with existing, third-party SIEM\*2 systems to help provide real-time, comprehensive insights into potential threats to the network and printers.
- Technology to verify that the device boot process, firmware, and applications initialize without alteration at startup. McAfee Embedded Control<sup>3</sup> utilizes a whitelist to protect against malware and tampering of firmware and applications.
- Security policy settings can be controlled with a dedicated password, configured from a central location, and exported to other supported devices.
- Control access to the device and specific features, using a host of flexible authentication methods—PIN code, user name/password, or card access.<sup>4</sup>



### QUALITY AND RELIABILITY

- Canon's signature reliability and engine technologies help keep productivity high and minimize the impact on support resources.
- Outstanding imaging technologies and toner allow for consistently striking images, thanks to Canon's V<sup>2</sup> color profile.
- Designed to achieve maximum uptime with status notifications that help keep supplies replenished and intuitive maintenance videos for consumables replacement.
- imageRUNNER ADVANCE models have received many awards and recognition from leading industry analysts, often referencing strong reliability.

\* Security Information and Event Management



## DEVICE AND FLEET MANAGEMENT

- Designed for quick, easy deployment.
- Remote diagnostics and parts life management for proactive maintenance and rapid fixes.
- Easy and intuitive to monitor device status and consumable levels, turn off devices remotely, observe meter readings, manage settings, and implement security policies.
- Common firmware and regular updates with Unified Firmware Platform (UFP) for continuous improvements and consistency across a fleet.



## COST MANAGEMENT

- Track and assess print, copy, scan, and fax usage and allocate costs to departments or projects.
- Apply print policies and restrict usage by user to help reduce unnecessary printing and contribute to cost efficiency.
- Standard cloud-based solution provides a centralized dashboard with up-to-the-minute insights into printer activity.
- Upgrade to uniFLOW server or cloud-based solutions for full accounting and reporting for compatible Canon and third-party devices, pull printing, job routing, and powerful scan workflows.




## SUSTAINABILITY

- A combination of fusing technologies and low-melting-point toner minimizes power requirements and helps achieve low energy consumption.
- Encourage environmentally conscious work practices by enabling multiple settings that can help save paper and energy.
- ENERGY STAR® certified and rated EPEAT® Gold.<sup>5</sup>

## CONFIGURATION OPTIONS

## imageRUNNER ADVANCE DX C3800 Series



\* Staple-Free stapling, up to 10 pages of 17 lb. Bond.

## Main Unit

### Type

Color Laser Multifunctional

### Core Functions

Standard: Print, Copy, Scan, Send, Store  
Optional: Fax

### Processor

1.8 GHz Dual Core Processor

### Control Panel

10.1" TFT LCD WSVGA Color Touch-panel

### Memory

3.5 GB RAM

### Solid State Drive

Standard: 256 GB/Maximum: 1 TB

### Interface Connection

Network: 1000Base-T/100Base-TX/10Base-T,  
Wireless LAN (IEEE 802.11 b/g/n)

Optional: NFC, Bluetooth Low Energy

### Others

Standard: USB 2.0 x1 (Host), USB 3.0 x1 (Host),  
USB 2.0 x1 (Device)

Optional: Copy Control Interface

### Paper Capacity (LTR, 20 lb. Bond)

Standard: 1,200 Sheets  
Maximum: 2,300 Sheets

### Paper Sources (LTR, 20 lb. Bond)

Standard: Dual 550-sheet Paper Cassettes, 100-sheet  
Multipurpose Tray

Optional: Dual 550-sheet Paper Cassettes  
(Cassette Feeding Unit-AW1)

### Paper Output Capacity (LTR, 20 lb. Bond)

Standard: 250 Sheets

Maximum: 3,450 Sheets  
(with Staple Finisher-AE1/Booklet Finisher-AE1 and Copy Tray-T1)

### Finishing Capabilities

Standard: Collate, Group

With Finishers: Collate, Group, Offset, Staple, Saddle-Stitch,  
Hole Punch, Eco Staple, Staple On Demand

### Supported Media Types

Multi-purpose Tray: Thin, Plain, Heavy, Recycled, Coated, Color,  
Tracing, Bond, Transparency, Label, Pre-punched, Envelope, Letterhead

Upper Cassette: Thin, Plain, Heavy, Recycled, Color, Tracing,  
Bond, Transparency, Pre-punched, Envelope, Letterhead

Lower Cassette: Thin, Plain, Heavy, Recycled, Color, Bond,  
Transparency, Pre-punched, Envelope<sup>6</sup>, Letterhead

### Supported Media Sizes

Multi-purpose Tray: 12"x18", 11"x17", Legal, Letter, Letter-R,  
Executive, Statement, Statement-R  
Custom Size/Free Size: 4" x 5-7/8" to  
12" x 18", Envelopes (COM10 No.10, Monarch,  
ISO-C5, DL), Envelope Custom Size ( 3-7/8" x  
3-7/8" to 12-5/8" x 18")

Upper Cassette: Letter, Executive, Statement-R  
Custom Size (4-1/8" x 5-7/8" to 11-3/4" x  
8-1/2"), Envelopes (ISO-C5)

Lower Cassette: 12" x 18", 11" x 17", Legal, Letter, Letter-R,  
Executive, Statement-R, Custom Size (4-1/8"  
x 5-7/8" to 12" x 18"), Envelopes<sup>6</sup> (COM10  
No.10, Monarch, DL)

### Supported Media Weights

Cassettes: 14 lb. Bond to 140 lb. Index (52 to 256 g/m<sup>2</sup>)

Multipurpose Tray: 14 lb. Bond to 110 lb. Cover (52 to 300 g/m<sup>2</sup>)

Duplexing: 14 lb. Bond to 80 lb. Cover (52 to 220 g/m<sup>2</sup>)

### Print/Copy Speed (BW and Color)

C3835i: Up to 35 ppm (Letter); Up to 23 ppm  
(Letter-R); Up to 17 ppm (Legal/11" x 17")

C3830i: Up to 30 ppm (Letter); Up to 20 ppm  
(Letter-R); Up to 15 ppm (Legal/11" x 17")

C3826i: Up to 26 ppm (Letter); Up to 20 ppm  
(Letter-R); Up to 15 ppm (Legal/11" x 17")

### Warm-up Time

From Power On: Approx. 10 Seconds<sup>7</sup>

From Sleep: Approx. 10 Seconds<sup>8</sup>

Mode:

Quick Startup: Approx. 4 Seconds<sup>9</sup>

Mode:

### Dimensions (W x D x H)

22-1/4" x 28-1/2" x 35-3/8" (565 mm x 722 mm x 897 mm)<sup>10</sup>

### Installation Space (W x D)

Basic: 38-1/2" x 44-1/8" (978 mm x 1119 mm)<sup>11</sup>

Fully

Configured: 65" x 44-1/8" (1651 mm x 1119 mm)<sup>12</sup>

### Weight

Approx. 185.2 lb. (84 kg)<sup>13</sup>

## Print Specifications

### Print Resolution (dpi)

1200 x 600, 1200 x 1200

### Standard Page Description Languages

UFR II, PCL<sup>®</sup>6, Adobe<sup>®</sup> PS<sup>®</sup> 3

### Supported File Types

PDF, TIFF, JPEG, EPS, XPS

### Printing from Mobile Devices and Cloud-based Services

A range of standard and optional software and MEAP-based solutions (including AirPrint, Mopria, Universal Print by Microsoft<sup>®</sup>, Canon PRINT Business, and uniFLOW Online) are available to provide printing from mobile devices or internet-connected devices and cloud-based services depending on your requirements. Please contact your sales representative for further information.

### Fonts

PCL: 93 Roman, 10 Bitmap fonts, 2 OCR fonts,  
Andalé Mono WT J/K/S/T (Japanese,  
Korean, Simplified and Traditional Chinese),<sup>14</sup>  
Barcode Fonts<sup>15</sup>

PS: 136 Roman

### Operating System<sup>16</sup>

UFR/II/PS: Windows<sup>®</sup> 8.1/10/Server2012/Server 2012  
R2/Server 2016/Server 2019, Mac OS X  
(10.11 or later)

PCL: Windows<sup>®</sup> 8.1/10/Server 2012/Server 2012  
R2/Server 2016/Server 2019

PPD: Windows<sup>®</sup> 8.1/10, Mac OS X (10.11 or later)

## Copy Specifications

### First-Copy-Out Time (LTR)

C3835i: Approx. 5.5 seconds (BW)/  
7.4 seconds (Color)

C3830i/ C3826i: Approx. 6.1 seconds (BW)/  
8.4 seconds (Color)

### Copy Resolution (dpi)

600 x 600

### Multiple Copies

Up to 999

### Magnification

25%-400% (1% Increments)

### Preset Reduction/Enlargement

25%, 50%, 64%, 73%, 78%, 100% (1:1), 121%, 129%, 200%,  
400%

## Scan Specifications

### Type

Single-pass Duplexing Automatic Document Feeder<sup>17</sup>

### Document Feeder Paper Capacity

Up to 200 Sheets (20 lb. Bond)

### Document Feeder Supported Media Sizes

11" x 17", Legal, Letter, Letter-R, Statement, Statement-R,  
Custom Size: 2-3/4" x 5-1/2" to 12" x 17" (69.9 mm x 139.7 mm  
to 304.8 mm x 431.8 mm)

### Document Feeder Supported Media Weights

BW/Color

Original: 13.3 lb. Bond to 80 lb. Cover (50 to 220 g/m<sup>2</sup>)

### Platen Acceptable Originals

Sheet, Book, 3-Dimensional Objects

### Platen Maximum Scanning Size

Up to 11-3/4" x 17" (297.0 mm x 431.8 mm)

### Pull Scan

Color Network ScanGear2 for both Twain and WIA  
Supported OS: Windows<sup>®</sup> 8.1/10/Server 2012/Server 2012  
R2/Server 2016

### Scan Resolution (dpi)

Scan for Copy: 600 x 600

Scan for Send: Push (600 x 600), SMB/FTP/WebDAV,  
Pull (600 x 600)

Scan for Fax: 600 x 600

### Scan to Mobile Devices and Cloud-based Services

A range of solutions is available to provide scanning to mobile devices and cloud-based services depending on your requirements.

### Scan Speed (LTR) (BW/CL)

Single-sided: 135 ipm (300 dpi)/80 ipm (600 dpi)

Scanning:

Double-sided: 270 ipm (300 dpi)/160/90 ipm (600 dpi)

Scanning:

## Send Specifications

### Destination

Standard: E-mail/Internet FAX (SMTP), SMB 3.0, FTP,  
WebDAV, Mail Box

Optional: Super G3 FAX, IP Fax

### Address Book

LDAP (2,000)/Local (1,600)/Speed Dial (200)

### Send Resolution (dpi)

Push: Up to 600 x 600 dpi

Pull: Up to 600 x 600 dpi

### Communication Protocol

File: FTP (TCP/IP), SMB 3.0 (TCP/IP), WebDAV

Email: SMTP, POP3

### File Format

TIFF, JPEG, PDF (Compact, Searchable, Apply Policy,  
Optimize for Web, PDF/A-1b, Trace & Smooth, Encrypted,  
Device Signature, User Signature), XPS (Compact,  
Searchable, Device Signature, User Signature), Office Open  
XML (PowerPoint, Word)

## Fax Specifications

### Maximum Number of Connection Lines

2

### Modem Speed

Super G3: 33.6 Kbps

G3: 14.4 Kbps

### Compression Method

MH, MR, MMR, JBIG

### Resolution (dpi)

400 x 400, 200 x 400, 200 x 200, 200 x 100

### Sending/Receiving Size

Statement-R to 11" x 17"

### Fax Memory

Up to 30,000 Pages (2,000 Jobs)

### Speed Dials

Max. 200

### Group Dials/Destinations

Max. 199 Dials

### Sequential Broadcast

Max. 256 Addresses

### Memory Backup

Yes



## Store Specifications

### Box (Number Supported)

100 User In-boxes, 1 Memory RX In-box, 50 Confidential Fax In-boxes, Maximum 10,000 Pages (2,000 Jobs Stored)

### Advanced Box

Communication Protocol: SMB or WebDAV Supported  
Client PC: Windows (Windows 8.1/10)  
Concurrent Connections (Max.):  
SMB: 64  
WebDAV: 3 (Active Sessions)

### Advanced Box Available Disc Space

Standard: 16 GB (With Option: max. 480 GB)

## Security Specifications

### Authentication and Access Control

User Authentication (Picture Login, Picture and PIN Login, Card Login, Username and Password Login, Function Level Login, Mobile Login), Department ID Authentication (Department ID and PIN Login, Function Level Login), uniFLOW Online Express<sup>18</sup> (PIN Login, Picture Login, Picture and PIN Login, Card Login, Card and PIN Login, Username and Password Login, Department ID and PIN Login, Function Level Login), Access Management System (Access Control)

### Document Security

Print Security (Secure Print, Encrypted Secure Print, Forced Hold Printing, uniFLOW Secure Print<sup>19</sup>), Receive Data Security (Confidential Fax Inbox Forwarding Received Documents Automatically), Scan Security (Encrypted PDF, Device Signature PDF/XPS, User Signature PDF/XPS, Adobe LiveCycle<sup>®</sup> Rights Management ES2.5 Integration), BOX Security (Mail Box Password Protected, Advanced Space Access Control), Send Data Security (Setting for requesting password input per transmission, Restricted E-mail/File send functions, Confirming FAX number, Allow/Restrict Fax Driver Transmissions, Allow/Restrict Sending from History, S/MIME Support), Document Tracking (Secure Watermark)

### Network Security

TLS 1.3, IPSec, IEEE802.1X authentication, SNMP V3.0, Firewall Functionality (IP/MAC Address Filtering), Dual Network Support (Wired LAN/Wireless LAN, Wired LAN/Wired LAN), Disabling Unused Functions (Enabling/Disabling Protocols/Applications, Enabling/Disabling Remote UI, Enabling/Disabling USB Interface), Communication Line Separation (G3 FAX, USB Port, Advanced Space, Scan and Send-Virus Concerns for E-mail Reception)

### Device Security

Protecting SSD Data [SSD Data Encryption (FIPS140-2 Validated), SSD Lock], Standard SSD Initialize, Trusted Platform Module (TPM), Job Log Conceal Function, Protecting MFP Software Integrity, Checking MFD Software Integrity (Verify System at Startup, Runtime Intrusion Detection)

### Device Management and Auditing

Administrator Password, Digital Certificate and Key Management, Audit Log, Cooperating with External Security Audit System (Security Information and Event Management), Image Data Logging, Security Policy Setting

## Environmental Specifications

### Operating Environment

Temperature: 50 to 86 °F  
Humidity: 20 to 80 % RH (Relative Humidity)

### Power Requirements

110V-127V, 60Hz, 8.5A

### Power Consumption

Maximum: Approx. 1,500 W  
Standby: Approx. 43.9 W<sup>20</sup>  
Sleep Mode: Approx. 0.8 W<sup>21</sup>  
Typical Electricity Consumption (TEC) Rating<sup>22</sup>  
C3835i: 0.38 kWh  
C3830i: 0.34 kWh  
C3826i: 0.30 kWh

### Standards

ENERGY STAR<sup>®</sup> Certified  
Rated EPEAT<sup>®</sup> Gold<sup>5</sup>

## Consumables

### Toner<sup>23</sup>

GPR-53 Toner BK/C/M/Y  
GPR-53L Toner C/M/Y

### Toner Yield (Estimated @ 5% Coverage)

GPR-53 Toner  
BK: 36,000 pages  
GPR-53 Toner  
C/M/Y: 19,000 pages  
GPR-53L Toner  
C/M/Y: 8,500 pages

- <sup>1</sup> Subscription to a third-party cloud service required. Subject to third-party cloud service providers' Terms and Conditions.  
<sup>2</sup> Third-party SIEM system required. Subject to third-party SIEM system's Terms and Conditions. Canon cannot ensure compatibility with all third-party SIEM systems.  
<sup>3</sup> This feature is off by default and must be turned on by the user. Warm-up times are affected once turned on.  
<sup>4</sup> Requires additional option.  
<sup>5</sup> For current EPEAT rating (Gold/Silver/Bronze), please visit [www.epeat.net](http://www.epeat.net).  
<sup>6</sup> Envelope Feeder Attachment A (standard) is required.  
<sup>7</sup> Time from device power-on until copy ready (not print reservation).  
<sup>8</sup> Time from exiting Sleep mode to when printing is operational.  
<sup>9</sup> Time from device power-on to when the copy icon appears and is enabled to operate on the touch panel display.  
<sup>10</sup> Includes Single Pass DADF.  
<sup>11</sup> With right cover open + Multi-purpose tray extension extended + paper cassette open.  
<sup>12</sup> Includes Staple Finisher-AE1/Booklet Finisher-AE1 + Copy Tray-T1 extension extended + paper cassette open.  
<sup>13</sup> Includes toner.  
<sup>14</sup> Requires the optional PCL International Font Set-A1.  
<sup>15</sup> Requires the optional Barcode Printer Kit-D1.  
<sup>16</sup> Other operating systems and environments, including AS/400, UNIX, Linux, and Citrix, may be supported. Some solutions are chargeable. SAP Device Types are available via the SAP Market Place. For more information, contact your sales representative.  
<sup>17</sup> Detect Feeder Multi Sheet Feed is supported.  
<sup>18</sup> No charge for this solution; however, activation is required.  
<sup>19</sup> Requires uniFLOW Online/uniFLOW.  
<sup>20</sup> Reference value (measured one unit).  
<sup>21</sup> 0.8 W Sleep mode not available in all circumstances due to certain settings.  
<sup>22</sup> Based on ENERGY STAR Product Specification for Imaging Equipment Version 3.0.  
<sup>23</sup> GPR-53L Toner also available for Color (C, M, Y). Yield (estimated @ 5% coverage) is 8,500 images.

For more information,  
call 1.800.815.4000  
or visit [csa.canon.com](http://csa.canon.com)



As an ENERGY STAR<sup>®</sup> Partner, Canon U.S.A., Inc. has certified these models as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. AirPrint and the AirPrint logo are trademarks of Apple Inc. Canon, imageRUNNER, imagePASS, and the GENUINE logo are registered trademarks or trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. Canon products offer certain security features, yet many variables can impact the security of your devices and data. Canon does not warrant that use of its features will prevent security issues. Some security features may impact functionality/performance; you may want to test these settings in your environment. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified counsel determine the feasibility of a solution as it relates to regulatory and statutory compliance. McAfee and the McAfee logo are trademarks of McAfee LLC in the US and/or other countries. All other referenced product names and marks are trademarks of their respective owners. All printer output images are simulated. All features presented in this brochure may not apply to all Series and/or products and may be optional; please check with your Canon Solutions America Sales Representative for details. Products shown with optional accessories. Canon U.S.A. and Canon Solutions America do not provide legal counsel or regulatory compliance consultancy, including without limitation, Sarbanes-Oxley, HIPAA, GLBA, Check 21 or the USA Patriot Act. Each customer must have its own qualified counsel determine the advisability of a particular solution as it relates to regulatory and statutory compliance. Specifications and availability subject to change without notice. Not responsible for typographical errors.  
©2021 Canon U.S.A., Inc. All rights reserved.

Federal Law prohibits copying of certain documents. Violators may be subject to penalties. We suggest that you check with your own legal counsel. Canon U.S.A., Inc., Canon Solutions America, Inc., and Canon Canada, Inc. intend to cooperate with Law Enforcement Agencies in connection with claims of unauthorized copying.  
CSA-21-0738-6144  
0821-iRAC3800DXSR5B-PDF-IH



To learn about Canon's many awards, visit  
[ess.csa.canon.com/awards](http://ess.csa.canon.com/awards).